

Distribution of Houses by Predominant Materials of Roof and Wall and Level of Damage Risk

Table No. : JK 08

State : JAMMU & KASHMIR

BARAMULA

Wall / Roof		Census Houses		Level of Risk under									
		No. of Houses	%	EQ Zone				Wind Velocity m/s				Flood Prone Area in %	
				V	IV	III	II	55 & 50	47	44 & 39	33		
				Area in %				Area in %					
				77.5	22.5					100			
WALL													
A1 - Mud & Unburnt Brick Wall	Rural	47,177	19.1										
	Urban	6,235	2.5										
	Total	53,412	21.6	VH	H					M			
A2 - Stone Wall not packed with mortar	Rural	17,946	7.3										
	Urban	1,860	0.8										
	Total	19,806	8.1	VH	H					L			
Total - Category - A		73,218	29.6										
B - Burnt Bricks Wall & Stone wall packed with mortar	Rural	109,450	44.3										
	Urban	33,567	13.6										
	Total	143,017	57.9	H	M					L			
Total - Category - B		143,017	57.9										
C1 - Concrete Wall	Rural	3,231	1.3										
	Urban	745	0.3										
	Total	3,976	1.6	M	L					VL			
C2 - Wood wall	Rural	10,460	4.2										
	Urban	816	0.3										
	Total	11,276	4.5	M	L					M			
Total - Category - C		15,252	6.2										
X - Other Materials	Rural	13,578	5.5										
	Urban	2,121	0.9										
	Total	15,699	6.4	M	VL					M			
Total - Category - X		15,699	6.4										
TOTAL HOUSES*		247,186											

ROOF												
R1 - Light Weight Sloping Roof	Rural	188,938	76.4									
	Urban	38,997	15.8									
	Total	227,935	92.2	M	M					H		
R2 - Heavy Weight Sloping Roof	Rural	4,974	2.0									
	Urban	911	0.4									
	Total	5,885	2.4	H	M					L		
R3 - Flat Roof	Rural	7,930	3.2									
	Urban	5,436	2.2									
	Total	13,366	5.4	Damage Risk as per that for the Wall supporting it								
TOTAL HOUSES*		247,186										

Probable Maximum Precipitation at a Station of the district in 24 hrs is 300 mm

Housing Category : Wall Types

Category - A : Buildings in field-stone, rural structures, unburnt brick houses, clay houses

Category - B : Ordinary brick building; buildings of the large block & prefabricated type, half-timbered structures, building in natural hewn stone

Category - C : Reinforced building, well built wooden structures

Category - X : Other materials not covered in A,B,C. These are generally light.

Notes : 1. Flood prone area includes that protected area which may have more severe damage under failure of protection works. In some other areas the local damage may be severe under heavy rains and choked drainage.

2. Damage Risk for wall types is indicated assuming heavy flat roof in categories A, B and C (Reinforced Concrete) building

3. Source of Housing Data : Census of Housing, GOI, 2011

Housing Category : Roof Type

Category - R1 - Light Weight (Grass, Thatch, Bamboo, Wood, Mud, Plastic, Polythene, GI Metal, Asbestos Sheets, Other Materials)

Category - R2 - Heavy Weight (Tiles, Stone/Slate)

Category - R3 - Flat Roof (Brick, Concrete)

EQ Zone V : Very High Damage Risk Zone (MSK > IX)

EQ Zone IV : High Damage Risk Zone (MSK VIII)

EQ Zone III : Moderate Damage Risk Zone (MSK VII)

EQ Zone II : Low Damage Risk Zone (MSK < VI)

Level of Risk : VH = Very High; H = High;

M = Moderate; L = Low; VL = Very Low

* Total No. of Houses excluding Vacant/Locked Houses