

Distribution of Houses by Predominant Materials of Roof and Wall and Level of Damage Risk

Table No. : MH 19

State : MAHARASHTRA

AURANGABAD

Wall / Roof		Census Houses		Level of Risk under								Flood Prone Area in %
		No. of Houses	%	EQ Zone				Wind Velocity m/s				
				V	IV	III	II	55 & 50	47	44 & 39	33	
				Area in %				Area in %				
						19.7	80.3			100		
WALL												
A1 - Mud & Unburnt Brick Wall	Rural	149,132	17.0									
	Urban	35,373	4.0									
	Total	184,505	21.0			M	L			M		
A2 - Stone Wall not packed with mortar	Rural	18,370	2.1									
	Urban	9,918	1.1									
	Total	28,288	3.2			M	L			L		
Total - Category - A		212,793	24.3									
B - Burnt Bricks Wall & Stone wall packed with mortar	Rural	223,542	25.5									
	Urban	267,368	30.5									
	Total	490,910	56.0			L	VL			L		
Total - Category - B		490,910	56.0									
C1 - Concrete Wall	Rural	39,758	4.5									
	Urban	53,457	6.1									
	Total	93,215	10.6			VL	VL			VL		
C2 - Wood wall	Rural	3,957	0.5									
	Urban	1,093	0.1									
	Total	5,050	0.6			VL	VL			M		
Total - Category - C		98,265	11.2									
X - Other Materials	Rural	62,457	7.1									
	Urban	11,937	1.4									
	Total	74,394	8.5			VL	VL			M		
Total - Category - X		74,394	8.5									
TOTAL HOUSES*		876,362										

ROOF												
R1 - Light Weight Sloping Roof	Rural	393,185	44.9									
	Urban	155,927	17.8									
	Total	549,112	62.7			L	VL			H		
R2 - Heavy Weight Sloping Roof	Rural	37,175	4.2									
	Urban	19,905	2.3									
	Total	57,080	6.5			L	VL			L		
R3 - Flat Roof	Rural	66,856	7.6									
	Urban	203,314	23.2									
	Total	270,170	30.8	<i>Damage Risk as per that for the Wall supporting it</i>								
TOTAL HOUSES*		876,362										

Probable Maximum Precipitation at a Station of the district in one day for arial extent of 1000 sqm. **426 mm**

Housing Category : Wall Types

- Category - A :** Buildings in field-stone, rural structures, unburnt brick houses, clay houses
- Category - B :** Ordinary brick building; buildings of the large block & prefabricated type, half-timbered structures, building in natural hewn stone
- Category - C :** Reinforced building, well built wooden structures
- Category - X :** Other materials not covered in A,B,C. These are generally light.

- Notes :** 1. Flood prone area includes that protected area which may have more severe damage under failure of protection works. In some other areas the local damage may be severe under heavy rains and choked drainage.
2. Damage Risk for wall types is indicated assuming heavy flat roof in categories A, B and C (Reinforced Concrete) building
3. Source of Housing Data : Census of Housing, GOI, 2011

Housing Category : Roof Type

- Category - R1 -** Light Weight (Grass, Thatch, Bamboo, Wood, Mud, Plastic, Polythene, GI Metal, Asbestos Sheets, Other Materials)
- Category - R2 -** Heavy Weight (Tiles, Stone/Slate)
- Category - R3 -** Flat Roof (Brick, Concrete)

- EQ Zone V : Very High Damage Risk Zone (MSK > IX)
- EQ Zone IV : High Damage Risk Zone (MSK VIII)
- EQ Zone III : Moderate Damage Risk Zone (MSK VII)
- EQ Zone II : Low Damage Risk Zone (MSK < VI)
- Level of Risk : VH = Very High; H = High;
M = Moderate; L = Low; VL = Very Low

* Total No.of Houses excluding Vacant/Locked Houses