

Distribution of Houses by Predominant Materials of Roof and Wall and Level of Damage Risk

Table No. : TN 31

State : TAMIL NADU

COIMBATORE

Wall / Roof		Census Houses		Level of Risk under								Flood Prone Area in %
		No. of Houses	%	EQ Zone				Wind Velocity m/s				
				V	IV	III	II	55 & 50	47	44 & 39	33	
				Area in %				Area in %				
						100				100		
WALL												
A1 - Mud & Unburnt Brick Wall	Rural	45,976	4.2									
	Urban	89,371	8.2									
	Total	135,347	12.4			M				M		
A2 - Stone Wall not packed with mortar	Rural	19,788	1.8									
	Urban	17,466	1.6									
	Total	37,254	3.4			M				L		
Total - Category - A		172,601	15.9									
B - Burnt Bricks Wall & Stone wall packed with mortar	Rural	168,026	15.4									
	Urban	635,267	58.4									
	Total	803,293	73.8			L				L		
Total - Category - B		803,293	73.8									
C1 - Concrete Wall	Rural	6,877	0.6									
	Urban	50,329	4.6									
	Total	57,206	5.2			VL				VL		
C2 - Wood wall	Rural	1,702	0.2									
	Urban	2,511	0.2									
	Total	4,213	0.4			VL				M		
Total - Category - C		61,419	5.6									
X - Other Materials	Rural	22,653	2.1									
	Urban	28,538	2.6									
	Total	51,191	4.7			VL				M		
Total - Category - X		51,191	4.7									
TOTAL HOUSES*		1,088,504										

ROOF												
R1 - Light Weight Sloping Roof	Rural	38,334	3.5									
	Urban	94,626	8.7									
	Total	132,960	12.2			L				H		
R2 - Heavy Weight Sloping Roof	Rural	169,612	15.6									
	Urban	317,155	29.1									
	Total	486,767	44.7			L				L		
R3 - Flat Roof	Rural	57,076	5.2									
	Urban	411,701	37.8									
	Total	468,777	43.0	Damage Risk as per that for the Wall supporting it								
TOTAL HOUSES*		1,088,504										

Probable Maximum Precipitation at a Station of the district in one day for arial extent of 1000 sqm. **471 mm**

Housing Category : Wall Types

Category - A : Buildings in field-stone, rural structures, unburnt brick houses, clay houses

Category - B : Ordinary brick building; buildings of the large block & prefabricated type, half-timbered structures, building in natural hewn stone

Category - C : Reinforced building, well built wooden structures

Category - X : Other materials not covered in A,B,C. These are generally light.

Notes : 1. Flood prone area includes that protected area which may have more severe damage under failure of protection works. In some other areas the local damage may be severe under heavy rains and choked drainage.

2. Damage Risk for wall types is indicated assuming heavy flat roof in categories A, B and C (Reinforced Concrete) building

3. Source of Housing Data : Census of Housing, GOI, 2011

Housing Category : Roof Type

Category - R1 - Light Weight (Grass, Thatch, Bamboo, Wood, Mud, Plastic, Polythene, GI Metal, Asbestos Sheets, Other Materials)

Category - R2 - Heavy Weight (Tiles, Stone/Slate)

Category - R3 - Flat Roof (Brick, Concrete)

EQ Zone V : Very High Damage Risk Zone (MSK > IX)

EQ Zone IV : High Damage Risk Zone (MSK VIII)

EQ Zone III : Moderate Damage Risk Zone (MSK VII)

EQ Zone II : Low Damage Risk Zone (MSK < VI)

Level of Risk : VH = Very High; H = High;

M = Moderate; L = Low; VL = Very Low

* Total No.of Houses excluding Vacant/Locked Houses